	Application No.	Applicant(s)	
Notice of Allowability	10/631,904	MOSKOWITZ ET AL	
Notice of Allowability	Examiner	Art Unit	
	G. Bradley Bennett	2859	and
The MAILING DATE of this communication apperature of the communication appearature of the communication	or other appropriate communication GHTS This application is subject to	plication. If not included	
1. This communication is responsive to application filed 31 July			
2. The allowed claim(s) is/are <u>1-48</u> .		•	
3. The drawings filed on 31 July 2003 are accepted by the Ex	kaminer.	•	
4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:			
1. Certified copies of the priority documents have			
2. Certified copies of the priority documents have	been received in Application No		•
3. Copies of the certified copies of the priority do	cuments have been received in this i	national stage application	from the
International Bureau (PCT Rule 17.2(a)).	3	•	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINED	C AMENDMENT - NOT	
l v		ion is delicient.	
6. CORRECTED DRAWINGS (as "replacement sheets") must	t be submitted.		•
(a) ☐ including changes required by the Notice of Draftsperson1) ☐ hereto or 2) ☐ to Paper No./Mail Date	on's Patent Drawing Review (PIO-9	348) attached	
(b) including changes required by the attached Examiner's	Amondment / Comment on in the co		
Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.6 each sheet. Replacement sheet(s) should be labeled as such in th	84(c)) should be written on the drawing the header according to 37 CFR 1,121(d	gs in the front (not the bac).	k) of
7. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F	it of BIOLOGICAL MATERIAL m	uet ho submitted at a	the
	•		
Attachment(s)		ę	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	tent Application (DTO 45)	21
2 Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (I	PTO-413).	<u>~)</u>
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No /Mail Data	F	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statemen	t of Reasons for Allowand	de ,
of Biological Material	9. 🗌 Other		. •
		G. Bradley Bermett Primary Examiner	T.
		Art Unit: 2859	

Application/Control Number: 10/631,904

purpose of most compasses.

Art Unit: 2859

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

forth in the independent claims. The instant invention requires a housing, a compass and a magnetic shield around at least a portion of the compass. This combination is not suggested or disclosed by the prior art of record.

Furthermore, although magnetic shields are old and well-known, to use such a shield with a compass would normally be counter-intuitive. Most compasses are used to determine the Earth's magnetic field. The instant invention uses the shield to isolate the compass-based indicator from the Earth's magnetic field. Therefore, to use such a shield in the manner as claimed would destroy the

The prior art of record does not disclose or suggest the instant invention as set

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2859

Any inquiry concerning this communication or earlier communications from the examiner should be directed to G. Bradley Bennett whose telephone number is 571.272.2237. The examiner can normally be reached on M-TH 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F.F. Gutierrez can be reached on 571.272.2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

G. Bradley Bennett Primary Examiner Art Unit 2859

G. BRADLEY BENNETT PRIMARY EXAMINER

gbb 26 MAY 2004